

Mapping Bibliography

Search Keyed to 30X60'

Price

Tuesday, December 31, 2002

Ref#

- 773 Anderson, P.B., 1978, Geology and coal resources of the Pine Canyon quadrangle, Carbon County, Utah,
Salt Lake City, University of Utah M.S. thesis 143 p.. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1103730 E: 1103000
- 983 Anderson, P.B., 1983, Geologic map of the Pine Canyon quadrangle, Carbon County, Utah, Utah Geological
and Mineral Survey Map 72, 14 p.. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1103730 E: 1103000
- 1745 Andrews, D.A.; Hunt, C.B., 1948, Geologic map of eastern and southern Utah, U.S. Geological Survey
Oil and Gas Investigations Preliminary Map OM-70. Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1090000
- 1043 Carroll, R.E., 1984, Geology of the Standardville quadrangle, Carbon County, Utah, Provo, Utah,
Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1110000 E: 1105230
- 2162 Carroll, R.E., 1987, Geology of the Standardville quadrangle, Carbon County, Utah, Brigham Young
University Geology Studies v. 34, pt. 1, p. 1-31, fig. 3. Scale: 82000
Latitude: N: 394500 S: 393730 Longitude: W 1110000 E: 1105230
- 2122 Carroll, R.E., 1993, Interim geologic map of the Standardville quadrangle, Carbon County, Utah, Utah Geological Survey Open-File Report 299, pl. 1. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1110000 E: 1105230
- 1830 Cashion, W.B., 1967, Geology and fuel resources of the Green River Formation, southeastern Uinta Basin,
Utah and Colorado, U.S. Geological Survey Professional Paper 548, 48 p., pl. 1. Scale: 125000
Latitude: N: 400800 S: 391200 Longitude: W 1100500 E: 1090000
- 1965 Cashion, W.B.; Kilburn, J.E.; Barton, H.N.; Kelley, K.D.; Kulik, D.M.; McDonnell, J.R., 1990, Mineral resources
of the Desolation Canyon, Turtle Canyon, and Floy Canyon wilderness study areas, Carbon, Emery, and Grand Counties, Utah, U.S. Geological Survey Bulletin 1753-B, p. B1-B34, pl. 1. Scale: 100000
Latitude: N: 394700 S: 390700 Longitude: W 1102200 E: 1094300
- 2622 Chew, R.T. III, 1956, Uranium and Vanadium deposits of the Colorado Plateau that produced more than 1,000 tons of ore through June 30, 1955, U.S. Geological Survey Mineral Investigations Field Studies Map MF-54. Scale: 750000
Latitude: N: 403000 S: 363000 Longitude: W 1134500 E: 1070000
- 9 Clark, F.R., 1920, Geologic map of the Farnham anticline, Carbon County, Utah, U.S. Geological Survey Bulletin 711, p. 1-13, pl. 1. Scale: 62500
Latitude: N: 393330 S: 392700 Longitude: W 1104200 E: 1103300
- 11 Clark, F.R., 1928, Economic geology of the Castlegate, Wellington, and Sunnyside quadrangles, Carbon County, Utah, U.S. Geological Survey Bulletin 793, 165 p., pl. 22. Scale: 62500
Latitude: N: 394500 S: 393000 Longitude: W 1110000 E: 1101500

Ref#

1662 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Castlegate-Kyne [Kyune and Standardville] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 340-341.

Scale: 42240

Latitude: N: 394730 S: 394000 Longitude: W 1110000 E: 1105230

1673 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Castlegate-Matts Summit [Helper and Matts Summit] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 354-355.

Scale: 42240

Latitude: N: 394730 S: 394000 Longitude: W 1105230 E: 1104500

1670 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Soldier Summit SE [Colton-Kyne] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 240-241.

Scale: 42240

Latitude: N: 395230 S: 394500 Longitude: W 1110730 E: 1105930

1675 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Sunnyside NW [Mount Bartles] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 370-371.

Scale: 42240
Latitude: N: 394500 S: 393730 Longitude: W 1103000 E: 1102230

1676 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Sunnyside SE [Patmos Head] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 376-377.

Scale: 42240
Latitude: N: 393730 S: 393000 Longitude: W 1102230 E: 1101500

1677 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Sunnyside SW [Sunnyside] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 244-245.

Scale: 42240
Latitude: N: 393730 S: 393000 Longitude: W 1103000 E: 1102230

1679 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Wellington NE [Pine Canyon] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 244-245.

Scale: 42240
Latitude: N: 394500 S: 393730 Longitude: W 1103730 E: 1103000

1678 Doelling, H.H., 1972, in Doelling, H.H., Central Utah coal fields Coal and geology map, Wellington-Minnie Maud

West [Deadman Canyon and Minnie Maud West] quadrangle, Utah Geological and Mineralogical Survey Monograph 3, p. 390-391.

Scale: 42240

Latitude: N: 394730 S: 394000 Longitude: W 1104500 E: 1103730

2542 Finch, W.I. (Compiler), 1955, Preliminary geologic map showing the distribution of uranium deposits and principal ore-bearing formations of the Colorado Plateau region, U.S. Geological Survey Mineral Investigations

Field Studies Map MF-16.

Scale: 500000

Latitude: N: 403000 S: 341500 Longitude: W 1134500 E: 1070000

2559 Grauch, V.J.S.; Plesha, J.L., 1989, Aeromagnetic maps of the Uinta and Piceance Basins and vicinity, Utah

and Colorado, U.S. Geological Survey Miscellaneous Field Studies Map MF-2008-C, 2 sheets, plates 1

and 2.

Scale: 500000

Latitude: N: 410000

S: 380000

Longitude: W 1130000

E: 1063500

2540 Harris, A.G.; Wardlaw, B.R.; Rust, C.C., Merrill, G.K., 1980, Maps for assessing thermal maturity
(conodont

color alteration index maps) in Ordovician through Triassic rocks in Nevada and Utah and adjacent parts
of

Idaho and California, U.S. Geological Survey Miscellaneous Investigations Series Map I-1249, 2 sheets.

Scale: 2500000

Latitude: N: 440000

S: 340000

Longitude: W 1200000

E: 1080000

Ref#

- 827 Hintze, L.F.; compiler, 1980, Geologic map of Utah, Utah Geological and Mineral Survey Map A-1.
Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 2477 Hintze, L.F.; Willis, G.C.; Laes, D.Y.M.; Sprinkel, D.A.; Brown, K.D., 2000, Digital Geologic Map of Utah, Utah Geological Survey Map 179DM compact disc.
Scale: 500000
Latitude: N: 420000 S: 370000 Longitude: W 1140400 E: 1090000
- 1864 Holmes, C.N.; Page, B.M., 1956, in Peterson, J.A., editor, Geology and economic deposits of east-central Utah
Geology of the bituminous sandstone deposits near Sunnyside, Carbon County, Utah, Intermountain Association of Petroleum Geologists Guidebook Seventh Annual Field Conference, p. 171-177, fig. 1.
Scale: 12000
Latitude: N: 393800 S: 393700 Longitude: W 1102100 E: 1102000
- 1248 Holmes, C.N.; Page, B.M.; Averitt, Paul, 1948, Geology of the bituminous sandstone deposits near Sunnyside, Carbon County, Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-86, fig. 2, 1 pl..
Scale: 24000
Latitude: N: 393800 S: 393730 Longitude: W 1102130 E: 1102000
- 2537 Johnson, S.Y.; Johnson, R.C., 1991, Stratigraphic and time-stratigraphic cross sections of phanerozoic rocks along line A-A', Uinta and Piceance Basin area-Eagle Basin, Colorado, to Eastern Basin and Range area, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2184-A. Scale: 500000
Latitude: N: 410000 S: 390000 Longitude: W 1130000 E: 1070000
- 2530 Ludeke, R.G.; Smith, R.L., 1978, Map showing distribution, composition, and age of late Cenozoic volcanic centers in Colorado, Utah, and southwestern Wyoming, U.S. Geological Survey Miscellaneous Investigations Series Map I-1901-B. Scale: 1000000
Latitude: N: 420000 S: 370000 Longitude: W 1140000 E: 1020000
- 1846 Maberry, J.O., 1971, Sedimentary features of the Blackhawk Formation (Cretaceous) in the Sunnyside district, Carbon County, Utah, U.S. Geological Survey Professional Paper 688, 44 p., fig. 1. Scale: 24000
Latitude: N: 393445 S: 393140 Longitude: W 1102400 E: 1102105
- 1779 McGregor, E.E., 1985, Engineering geology of surficial materials in the Price 30' x 60' quadrangle, Carbon, Duchesne, Wasatch, and Utah Counties, Utah, U.S. Geological Survey Open-File Report OF 85-356, 4 p., pl.
1. Scale: 100000
Latitude: N: 400000 S: 393000 Longitude: W 1110000 E: 1100000
- 1161 Mecham, D.F.; Bitter, R.K.; compilers, 1959, in Williams, N.C., editor, Guidebook to the geology of the Wasatch and Uinta Mountains transition area Geology of the Wasatch-Uinta Mountains transition area, NE Utah - SW Wyoming, Intermountain Association of Petroleum Geologists Guidebook Tenth Annual Field Conference, 235 p., 2 pl. [north and south]. Scale: 192000
Latitude: N: 413000 S: 394830 Longitude: W 1113900 E: 1104100

1040 Nethercott, M.A., 1983, Geology of the Deadman Canyon quadrangle, Carbon County, Utah, Provo,
Utah,

Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1104500 E: 1103730

1310 Nethercott, M.A., 1985, Geologic map and coal resources of the Deadman Canyon quadrangle, Carbon
County, Utah, Utah Geological and Mineral Survey Map 76, 20 p., pl. 1. Scale: 24000

Latitude: N: 394500 S: 393730 Longitude: W 1104500 E: 1103730

Ref#

- 1431 Nethercott, M.A., 1986, Geology of the Deadman Canyon quadrangle, Carbon County, Utah, Brigham Young University Geology Studies v.33, pt. 1, p.45-85, fig.3. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1104500 E: 1103730
- 2541 Osterwald, F.W.; Dean, B.G., 1957, Preliminary Tectonic map of the northern Colorado and northeastern Utah, showing the distribution of uranium deposits, U.S. Geological Survey Mineral Investigations Field Studies Map MF-130, sheet 1. Scale: 500000
Latitude: N: 410000 S: 394000 Longitude: W 1110000 E: 1064000
- 1837 Osterwald, F.W.; Dunrud, C.R.; Maberry, J.O., 1969, Preliminary geologic map of the Columbia area, Carbon and Emery Counties, Utah (Lithology, structure, and coal beds), U.S. Geological Survey Miscellaneous Investigations Series Map I-582, 2 p.. Scale: 6000
Latitude: N: 393230 S: 393000 Longitude: W 1102300 E: 1102000
- 1239 Osterwald, F.W.; Maberry, J.O.; Dunrud, C.R., 1981, Bedrock, surficial, and economic geology of the Sunnyside coal-mining district, Carbon and Emery Counties, Utah, U.S. Geological Survey Professional Paper 1166, 2 p., pl. 1. Scale: 62500
Latitude: N: 393900 S: 391500 Longitude: W 1103000 E: 1101500
- 1540 Osterwald, F.W.; Maberry, J.O.; Dunrud, C.R., 1981, Bedrock, surficial, and economic geology of the Sunnyside coal-mining district, Carbon and Emery Counties, Utah, U.S. Geological Survey Professional Paper 1166, 68 p., pl. 2. Scale: 6000
Latitude: N: 393600 S: 393300 Longitude: W 1102500 E: 1102100
- 1586 Peterson, J.A.; compiler, 1956, in Peterson, J.A., editor, Geology and economic developments of east-central Utah Geologic map of east-central Utah, Intermountain Association of Petroleum Geologists Guidebook Seventh Annual Field Conference, pl. 1. Scale: 190000
Latitude: N: 395230 S: 380000 Longitude: W 1110000 E: 1083159
- 108 Ray, R.G.; Kent, B.H.; Dane, C.H., 1956, Stratigraphy and photogeology of the southwestern part of the Uinta Basin, Duchesne and Uintah Counties, Utah, U.S. Geological Survey Oil and Gas Investigations Preliminary Map OM-171, 2 pl.. Scale: 63360
Latitude: N: 401115 S: 395230 Longitude: W 1104820 E: 1094715
- 1044 Russon, M.P., 1984, Geology, depositional environments, and coal resources of the Helper quadrangle, Carbon County, Utah, Provo, Utah, Brigham Young University M.S. thesis . Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1105230 E: 1104500
- 2011 Russon, M.P., 1992, Interim geologic map of the Helper quadrangle, Carbon County, Utah, Utah Geological Survey Open-File Report 262. Scale: 24000
Latitude: N: 394500 S: 393730 Longitude: W 1105230 E: 1104500
- 1476 Seiler, R.L.; Baskin, R.L., 1988, Map showing geology, location of data-collection sites, and water-quality diagrams for the Alkali Creek coal-lease tract area, Utah, U.S. Geological Survey Water Resources Investigations Report WRI 87-4186, 53 p.. Scale: 24000
Latitude: N: 394430 S: 394200 Longitude: W 1104200 E: 1103530
- 1844 Spieker, E.M., 1931, The Wasatch Plateau coal field, Utah, U.S. Geological Survey Bulletin 819, p. 77-98, pl. 31. Scale: 62500
Latitude: N: 395000 S: 391500 Longitude: W 1111800 E: 1105000

784 Stokes, W.L.; Madsen, J.H., Jr.; compilers, 1961, Geologic map of Utah (northeast quarter), Utah Geological

and Mineralogical Survey Report to the Utah State Land Board . Scale: 250000

Latitude: N: 420000 S: 392230

Longitude: W 1113730 E: 1090000

Ref#

- 2560 Stover, C.W.; Reagor, B.G.; Algermissen, S.T., 1986, Seismicity map of the state of Utah, U.S. Geological Survey Miscellaneous Field Studies Map MF-1856. Scale: 1000000
Latitude: N: 420000 S: 370000 Longitude: W 1140300 E: 1090300
- 1455 Tripp, Bryce, 1986, Argyle Canyon-Willow Creek tar sand deposit overburden map, Utah Geological and Mineral Survey Open-File Report 101. Scale: 50000
Latitude: N: 400000 S: 394830 Longitude: W 1105800 E: 1102230
- 1293 Untermann, G.E.; Untermann, B.R., 1961, Geologic map of Duchesne County, Utah, unknown unpublished map. Scale: 63360
Latitude: N: 405000 S: 394830 Longitude: W 1105300 E: 1095830
- 1113 Verbeek, E.R.; Grout, M.A., 1993, Geometry and structural evolution of gilsonite dikes in the eastern Uinta Basin, Utah, U.S. Geological Survey Bulletin 1787-HH, pl. 1a. Scale: 250000
Latitude: N: 402230 S: 393300 Longitude: W 1101500 E: 1085700
- 1380 Walton, P.T., 1944, Geology of the Cretaceous of the Uinta Basin, Utah, Geological Society of America Bulletin v. 55, p. 91-130, pl. 2. Scale: 537000
Latitude: N: 404800 S: 395230 Longitude: W 1110730 E: 1090000
- 1151 Walton, P.T., 1959, in Williams, N.C., editor, Guidebook to the geology of the Wasatch and Uinta Mountains transition area Structure of the West Portal-Soldier Summit area, Wasatch, Carbon, and Duchesne Counties, Utah, Intermountain Association of Petroleum Geologists Guidebook Tenth Annual Field Conference, p. 150-152, pl. 1. Scale: 158400
Latitude: N: 401500 S: 394300 Longitude: W 1111800 E: 1104500
- 1955 Weiss, M.P.; Witkind, I.J.; Cashion, W.B., 1990, Geologic map of the Price 30'x 60' quadrangle, Carbon, Duchesne, Uintah, Utah, and Wasatch Counties, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1981. Scale: 100000
Latitude: N: 400000 S: 393000 Longitude: W 1110000 E: 1100000
- 464 Witkind, I.J., 1979, Reconnaissance geologic map of the Wellington quadrangle, Carbon County, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-1178. Scale: 24000
Latitude: N: 393730 S: 393000 Longitude: W 1104500 E: 1103730
- 2326 Witkind, I.J., 1995, Geologic map of the Price 1° x 2° quadrangle, Utah, U.S. Geological Survey Miscellaneous Investigations Series Map I-2462. Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1120000 E: 1100000
- 1056 Witkind, I.J.; Lidke, D.J.; McBroome, L.A., 1978, Preliminary geologic map of the Price 1° x 2° quadrangle, Utah, U.S. Geological Survey Open-File Report OF 78-465. Scale: 250000
Latitude: N: 400000 S: 390000 Longitude: W 1120000 E: 1100000
- 1058 Witkind, I.J.; McGimsey, R.G., 1979, Preliminary geologic map of part of the southeast quarter of the Price 1° x 2° quadrangle, Carbon, Emery, and Grand Counties, Utah, U.S. Geological Survey Open-File Report OF 79-1202. Scale: 100000
Latitude: N: 393200 S: 390000 Longitude: W 1110000 E: 1100000

